



operating conditions of the compressor \* 12-step repeat from 1 - 98 times or unlimited programmed operations and Minimum 10 programs memorized \* CFC-free Foamed-in-place Rigid Polyurethane Insulator & Hermetic Compressor \* Triple-pane Glass Observation Window plus 15W Fluorescent Lamp \* Independent Over-Temp. Protection Device isolated from main circuit \* Programmed Memory Backup & Automatic Return Buzzer Switch

[Read More](#)

**SKU:**

**Price:**

**Stock:** instock

**Categories:** [Uncategorized](#)

## Product Description

**AGN-109** AGN BOD Incubators are especially useful for determining levels of organic matter and nitrogen in waste water samples. These incubators are also called low temperature incubators. The BOD incubator provides the required temperature for the growth of microorganisms. In microbiology laboratories, it is broadly used for cell culture and fungal growth, BOD test, fermentation, crop and physiology, and various pharmaceutical tests etc. Trouble Monitor for Self-Diagnostic Function & provided with Key Lock Switch. **Features :-** \* Feed forward function to input the operating conditions of the compressor \* 12-step repeat from 1 - 98 times or unlimited programmed operations and Minimum 10 programs memorized \* CFC-free Foamed-in-place Rigid Polyurethane Insulator & Hermetic Compressor \* Triple-pane Glass Observation Window plus 15W Fluorescent Lamp \* Independent Over-Temp. Protection Device isolated from main circuit \* Programmed Memory Backup & Automatic Return Buzzer Switch

# AGN ENTERPRISES

MANUFACTURER & SUPPLIER  
ALL KINDS OF LABORATORY EQUIPMENTS



Alarms | temperature controllability :  $\pm 0.2$  deg. at Heater PID control | temperature uniformity :  $\pm 0.5$  deg. Exterior finish : Baked acrylic finish on galvanized steel Interior finish : Stainless steel Door : Baked acrylic finish on galvanized steel triple-pane glass